


ROAD BLOCKERS HIGH SECURITY MOBILE SPEEDBUMPS



- Reliable solution to provide 100% security of your territory




Installation areas:


- Governmental Institutions
- Military Bases
- Nuclear Power Plants
- Production sites (Industrial Plants)
- Commercial areas
- Financial institutions
- Airport Premises
- Business (Office) Center
- Hotels
- Sport Complexes
- Recreation areas
- Urban areas
- Education Institutions



Advantages and general features:

- Mobility, no connection to the ground
- Quick installation and setting (less than 30 minutes required)
- Hydraulic operated, 1 phase power supply
- Instantly reversible
- Stop option during the moving cycle
- Manual release in case of power failure
- Warning LED indication and warning painting (black /yellow or red/white)
- Can be interfaced with any ACS or controlled from pushbutton





Technical specs:

Model	RB358-02	RB358-03	RB358-04
Installation type	Above the ground		
Drive	Hydraulic		
Width (w), mm	2000	3000	4000
Height, mm	570		
Load per axle, t	15		
Rising time, sec	5,0	5,2	5,5
Lowering time, sec	4,0	4,1	4,2
Operating temperature*, °C	-40/+60		
Power supply	1 phase 230 V, 50/60 Hz		
Protection level	IP 67 for road blocker IP 55 for control box		
Materials	- Structural steel (galvanized and powder coated)		

* for temperatures lower than -10°C use the heating device
for temperatures higher than +40°C use the cooler device



Contracting Client:
TISO PRODUCTION: LTD.
72, Yamska str.
03150 Kyiv
Ukraine

Certificate

of passed Barrier Testing Programme



Type of Product:	Mobile Blocker „ RB358-03-G-15-2.2/2.2-300/050-000 “
Test Standard:	ASTM F2656/F2656M-15 IWA 14-1:2013
Test Standard Classification:	ASTM: C730 IWA: N2B-48km/h
Test Date:	October 19, 2017
Vehicle Restrained:	yes
Vehicle Immobilized:	no
Test Vehicle Kinetic Energy at Impact:	635 kJ
Penetration Rating ASTM:	P3 (22.5 m)
Performance Rating IWA:	Blocker V/7200[N2B]/48/90:23.1
Underlying CTS-Test Report No.:	11523_3048_18824



Amelunxenstraße 30, 48167 Münster, Germany
Tel: +49 25 28 75 01 009
Fax: +49 25 28 75 01 009
www.crashtest-service.com
Dipl.-Ing. Peter Schimmelpfennig
(Managing Partner)

October 25, 2017

Amelunxenstraße 30, 48167 Münster, Germany

www.crashtest-service.com